



The Hygienic Cladding,
Acrylic Sheet &
Polycarbonate Experts

gap Sheet Materials 


GAP Sheet Materials offer a wide range of sheet material products to suit all applications and styles and our experienced teams are always on hand to share their experience, knowledge and advice. From our estimating and scheduling team to our state of the art production facility, we are ideally placed to support your next project.

Contents

4 Hygienic Wall Cladding



5 Extruded Acrylic



6 Rigid Foam PVC Sheet




8 Extruded Acrylic - Mirror



17 Corrugated Polycarbonate Sheet



18 Clear Solid Polycarbonate Sheet



19 Embossed Polycarbonate Sheet




20 Glazing Bars & Accessories





GAP Sheet Materials is part of GAP Ltd, an independently owned vertically integrated manufacturer, stockist and distributor of PVC-U building products. We offer customers the best sheet material brands available, backed up by our experienced friendly team, who can use GAPs 100 strong national network of depots to support your project no matter the size.

9 Extruded Acrylic - Prism Pattern



10 Multi-wall Polycarbonate



12 Multi-wall Structured Polycarbonate



15 Corrugated PVC Sheet



24 Evolution Carport & Canopy System



25 Free Standing Carport/Smoking Shelter



26 Door & Window Canopy Systems



27 Conservatory Roof Kits



Hygienic Wall Cladding



Features

- Hygienic & food grade
- High impact strength
- High chemical resistant
- Low maintenance
- Excellent fire rating performance
- Easy to install & fabricate
- Completely waterproof
- Easy to clean & no grout
- Recyclable
- UK & European Food Preparation compliant
- High fire rating self-extinguishing BS 476 part 6 & part 7, Class 1

Applications

- Commercial kitchens
- Food prep & storage areas
- Wetrooms & bathrooms
- Changing rooms & pool areas
- Livestock areas, stables, kennels & catteries
- Hospitals
- Dentists, doctors & veterinary surgeries

We offer a wide range of Solid PVC hygienic panels in white and colours with gloss or satin finishes to suit a wide variety of applications. The range extends the possibilities for colour and design whilst retaining all the hygienic practicalities necessary. Offering a combination of properties including good impact strength, food approval and excellent fire rated performance.

Gloss Range:



Gloss White

Matt Range:



Palclad Porcelain White

Palclad™ M660

Jade

Granite

Peacock

Dolphin Grey



Enchanted

Bluebird

Siren

Candy Floss

Sugar Plum

Black Ice



Blue

Grey

Cream

Mint

Length x Width (mm)	Thickness (mm)
2440 x 1220	2.5
3050 x 1220	2.5



Extruded Acrylic


Ideal for indoor and outdoor applications

Features

- Over 90% light transmission
- Inherently UV resistant
- Lightweight
- Easily formed or fabricated
- Easy to mount
- Good chemical resistance
- Good thermal insulation
- More flexible than glass

Applications

- High-traffic acoustic barriers
- Lightweight high-clarity glazing
- High gloss and transparent fabricated items
- Light fixtures
- Three dimensional signage
- Commercial dispensers
- Retail display and dispensers
- Poster / art protection



Extruded Acrylic is UV protected making it ideal for internal and external applications such as advertising signage, lightweight glazing and outbuildings including greenhouses and sheds.

Its inherent UV resistance makes it ideal for indoor and outdoor applications and can be formed, shaped, sawed and drilled.

Extruded Acrylic Colour = Clear


Length x Width (mm)	Thickness (mm)										
1220 x 305	2	-	3	4	5	6	-	-	-	-	-
1220 x 610	2	-	3	4	5	6	-	-	-	-	-
1250 x 1015	2	-	3	-	5	-	-	-	-	-	-
2030 x 620	2	-	3	4	5	6	-	-	-	-	-
2050 x 1250	2	-	3	-	5	-	-	-	-	-	-
2050 x 1525	2	2.5	3	4	5	6	8	10	12	15	20
2440 x 1220	2	-	3	4	5	6	-	-	-	-	-
2500 x 1015	2	-	3	-	5	-	-	-	-	-	-
2500 x 2050	2	-	3	-	5	-	-	-	-	-	-
3050 x 2050	2	2.5	3	4	5	6	8	10	12	15	20
610 x 610	2	-	3	4	5	6	-	-	-	-	-
2440 x 610	2	-	3	4	5	6	-	-	-	-	-
1220 x 1220	2	-	3	4	5	6	-	-	-	-	-

Please ask your local depot for details



Rigid Foam PVC Sheet

Available with matt finish to both sides and gloss on one side



A versatile, flexible, lightweight and durable foamed PVC sheet that is ideal for use in advertising and construction.

Finished in the purest white colour possible, this is the ideal choice for printers and advertisers who require a consistently smooth and bright surface for producing high-quality display materials.

Flat Foamed PVC Sheet is easy to handle, can be cut using conventional tools and can be printed, painted or laminated.

Features

- Optimally designed for digital printing
- Bright white, smooth and uniform surface
- Available in a wide range of standard and special designer colours
- Standard matt or gloss finishes
- Good insulation and lower heat transmission
- Flammability: self-extinguishing and non-toxic
- Easily worked with conventional tools, prints and paints
- Easily bonded, formed, nailed and bolted
- Low-water absorption
- High-chemical resistance

Applications

- Advertising - construction signs, displays and exhibition boards
- Construction – models, partitions, wall cladding, interior decoration and air conditioning ducts
- Industry – control cabinets and panels, structures for corrosive environments, ducts
- Printing - screen printing and digital printing

Rigid Foam PVC Sheet

Matt & Gloss White

Length / Width (mm)	Thickness (mm)		
2440 x 1220	3	5	10
3050 x 2050	3	5	10

Foam Matt Colours (all Ex Works)

Length / Width (mm)	Thickness (mm)		
2440 x 1220	3	5	-

Gloss colours are also available, please ask for more details.



Accessories

Item	Size (mm)
H Joining Profiles (for 3mm)	2440 x 3
H Joining Profiles (for 3mm)	3050 x 3
U End Profile (for 3mm)	2440 x 3
Drive Rivets	25
Internal Corner Profiles	2440 x 25 x 25
External Corner Profiles	2440 x 25 x 25
Food Grade SX Silicone Sealant (White)	310ml
Gripfill Solvent Free	310ml



Please ask your local depot for details



Extruded Acrylic - Mirror

A safe alternative to glass mirror



Extruded acrylic mirror at half the weight and five times the impact strength of plate glass mirror, offers all the benefits without the associated risk of breakages.

Features

- Lightweight, easy to handle and fix
- High-impact strength compared to plate glass

Applications

- Any public area as a safer alternative to plate glass mirror
- Any private area as a safer alternative to plate glass mirror

Extruded Acrylic - Mirror

Length / Width (mm)	Thickness (mm)
2440 x 1220	3
1830 x 1220	3
1220 x 1220	3
2440 x 610	3
1830 x 610	3
1220 x 610	3
610 x 610	3



Please ask your local depot for details

Formiboard Polypropylene Twinwall Sheet

Formiboard is a UV protected Fluted Polypropylene sheet and is ideal for use in advertising signage and temporary over floor protection.

Length / Width (mm)	Thickness (mm)
2440 x 1220	4

Available in White, Black and Yellow only.



Aluminium Composite Panel

Consists of a Polyethylene core sandwiched between two aluminium skins making this a rigid and lightweight product and a cost-effective solution for external signage applications.

Length / Width (mm)	Thickness (mm)
2440 x 1220	3

Finish = Matt White face on one side and Aluminium Milled on the other face.
Wide range of colours available.



Extruded Acrylic - Prism Pattern

Ideal for light diffusion


Prismatic extruded acrylic is one of the most established products for the control of glare and diffusion of fluorescent lighting.

Features

- Over 90% light transmission
- Inherently UV resistant
- Good impact resistance
- Less than half the weight of glass
- Easy to install
- Good chemical resistance
- 100% haze diffusion

Applications

- Diffusion covers for fluorescent lighting
- Display
- Privacy glazing



Extruded Acrylic Prism Pattern


Length / Width (mm)	Thickness (mm)
1250 x 1225	3
1250 x 610	3
1850 x 1250	3
1850 x 625	3
2500 x 1250	3
2500 x 625	3
610 x 610	3



Please ask your local depot for details

Multi-wall Polycarbonate

High-impact strength and superior thermal insulation properties



A lightweight Polycarbonate sheet with high-impact strength and superior thermal insulation properties.

Its high-light transmission makes it ideal for conservatory and lean-to roof areas as well as cladding and glazing applications. Easy to install and cut, Multi-wall Polycarbonate requires minimal maintenance and can be cleaned using hot water containing a mild detergent.

Features

- Lightweight and high-impact resistance
- Extremely durable, weather and UV resistant
- Blocks virtually all UV radiation
- Superb thermal insulating properties
- High-light transmission
- Solar control options
- High-performance fire rating – self-extinguishing with no emission of toxic gases
- Easy to handle and install

Applications

- Conservatories & lean-to roof areas
- Skylights and sidelights
- Architectural roofing and glazing
- Covered walkways
- Displays and signs
- Industrial roofing and glazing
- DIY
- Covered swimming pools
- Greenhouses




Please ask your local depot for details

Polycarbonate 6mm Twinwall/Clear

U Value = 3.7

Light Transmission 82%




Width (mm)	Length (mm)			
1050	2000	3000	4000	6000
2100	2000	3000	4000	6000

Polycarbonate 10mm Clear Twinwall

U Value = 3.2

Light Transmission 82%




Width (mm)	Length (mm)							
700	2000	2500	3000	3500	4000	5000	6000	7000
1050	2000	2500	3000	3500	4000	5000	6000	7000
1250	2000	2500	3000	3500	4000	5000	6000	7000
1400	2000	2500	3000	3500	4000	5000	6000	7000
2100	2000	2500	3000	3500	4000	5000	6000	7000

Polycarbonate 10mm Bronze or Opal Twinwall

U Value = 3.2

Light Transmission Bronze 33%, Opal 40%




Width (mm)	Length (mm)							
700	2000	2500	3000	3500	4000	5000	6000	7000
1050	2000	2500	3000	3500	4000	5000	6000	7000
1400	2000	2500	3000	3500	4000	5000	6000	7000
2100	2000	2500	3000	3500	4000	5000	6000	7000

Polycarbonate 16mm Clear Triplewall

U Value = 2.4

Light Transmission 77%



Width (mm)	Length (mm)							
700	2000	2500	3000	3500	4000	5000	6000	7000
900	2000	2500	3000	3500	4000	5000	6000	7000
980	2000	2500	3000	3500	4000	5000	6000	7000
1050	2000	2500	3000	3500	4000	5000	6000	7000
1200	2000	2500	3000	3500	4000	5000	6000	7000
1400	2000	2500	3000	3500	4000	5000	6000	7000
2100	2000	2500	3000	3500	4000	5000	6000	7000

Multi-wall Structured Polycarbonate

Delivers cool natural light without making the interior dark



Multi-wall Polycarbonate sheet provides the benefits of solar energy treatment and delivers cool natural light without making the interior of the structure dark.

Multi-wall Polycarbonate adds another attractive dimension to any conservatory.

- Bronze, opal and solar guard colour combinations
- Softer lighting effect when using opal coloured version
- Multi-wall polycarbonate helps to reduce heat build up
- White interior underside complements any decorative colour scheme
- Range of thicknesses available




Please ask your local depot for details

Polycarbonate 16mm Triplewall Opal

U Value = 2.4

Light Transmission Bronze 18%, Opal 42%




Width (mm)	Length (mm)							
700	2000	2500	3000	3500	4000	5000	6000	7000
900	2000	2500	3000	3500	4000	5000	6000	7000
980	2000	2500	3000	3500	4000	5000	6000	7000
1050	2000	2500	3000	3500	4000	5000	6000	7000
1400	2000	2500	3000	3500	4000	5000	6000	7000
2100	2000	2500	3000	3500	4000	5000	6000	7000

Bronze only available in 1050 & 2100.

Polycarbonate 25mm Clear 7X Wall Structure

U Value = 1.4

Light Transmission 62%




Width (mm)	Length (mm)							
800	2000	2500	3000	3500	4000	5000	6000	7000
900	2000	2500	3000	3500	4000	5000	6000	7000
1050	2000	2500	3000	3500	4000	5000	6000	7000
1200	2000	2500	3000	3500	4000	5000	6000	7000
1600	2000	2500	3000	3500	4000	5000	6000	7000
2100	2000	2500	3000	3500	4000	5000	6000	7000

Polycarbonate 25mm 7X Wall Structure Opal

U Value = 1.4

Light Transmission Bronze 25%, Opal 28%



Width (mm)	Length (mm)							
700	2000	2500	3000	3500	4000	5000	6000	7000
900	2000	2500	3000	3500	4000	5000	6000	7000
1050	2000	2500	3000	3500	4000	5000	6000	7000
1200	2000	2500	3000	3500	4000	5000	6000	7000
1600	2000	2500	3000	3500	4000	5000	6000	7000
2100	2000	2500	3000	3500	4000	5000	6000	7000

Bronze only available in 1050 & 2100.

35mm Clear and Opal also available.



Bronze



Clear



Opal

Polycarbonate 16mm Heatguard

U Value = 1.9

Light Transmission 30%




Width (mm)	Length (mm)							
700	2000	2500	3000	3500	4000	5000	6000	7000
1050	2000	2500	3000	3500	4000	5000	6000	7000
2100	2000	2500	3000	3500	4000	5000	6000	7000

Polycarbonate 25mm 7 Wall Structure Heatguard Opal

U Value = 1.4

Light Transmission 7%




Width (mm)	Length (mm)							
800	2000	2500	3000	3500	4000	5000	6000	7000
1050	2000	2500	3000	3500	4000	5000	6000	7000
1600	2000	2500	3000	3500	4000	5000	6000	7000
2100	2000	2500	3000	3500	4000	5000	6000	7000

Polycarbonate 35mm 7 Wall Heatguard Opal

U Value = 1.2

Light Transmission 4%



Width (mm)	Length (mm)							
1050	2000	2500	3000	3500	4000	5000	6000	7000
2100	2000	2500	3000	3500	4000	5000	6000	7000



Please ask your local depot for details

Corrugated PVC Sheet



Corrugated PVC Sheets combines low weight with strength, durability with aesthetics and offers a cost-effective solution for both Commercial and DIY applications.

Features

- High-impact strength – resists breakage
- Easily handled, quickly installed
- Requires minimal maintenance
- High chemical resistance
- Fire retardant – meets the highest standards
- UV & weather resistant
- Non-corrosive - does not rust or corrode
- Enables arched roofs and curved walls
- Good impact strength*

*Impact performance reduces with age of product

Applications

- Porches
- Carports
- Swimming pools
- Greenhouses
- Patio canopies
- Covered walkways
- Grandstands
- Agricultural warehouses
- Livestock structures
- Industrial structures

Corrugated 3" ASB: Sheet Width 762mm & Cover Width 651mm





	Length (mm)/ Thickness (mm/ft)	762 x 1830/6	762 x 2135/7	762 x 2440/8	762 x 2745/9	762 x 3050/10	762 x 3660/12
Heavy Duty Sheet	1.1mm	✓	✓	✓	✓	✓	✓
Heavy Duty Plus	1.3mm	✓	✓	✓	✓	✓	✓

Corrugated Big 6": Sheet Width 1086mm & Cover Width 1016mm



	Length (mm)/ Thickness (mm/ft)	1086 x 1830/6	1086 x 2440mm/8	1086 x 2745/9	1086 x 3050/10	1086 x 3660/12
Superweight Sheet	1.3mm	✓	✓	✓	✓	✓



Corrugated Profile PVC Accessories

Item	Length (mm)	Pack Quantity
3" Super Fixings	-	10
6" Super Fixings	-	10
3" Wall Flashings Clear PVC	695	1
3" Polyethylene Eaves Filler	680	6
Box Polyethylene Eaves Filler Pack	760	6
6" Polyethylene Eaves Filler Pack	950	6
3" Adjustable Ridge	685	1



Corrugated Polycarbonate Sheet



Corrugated sheets with the high light transmission, strength and wide service temperature range of polycarbonate, are ideal for greenhouse coverings and skylight applications.

Features

- Impact resistant – virtually unbreakable
- Weather and UV resistant
- Wide service temperature range
- UV protects better than sunscreens
- Resistant to wide range of chemicals
- Lightweight
- Good Fire Rating – does not emit toxic gases when burning
- Warranty – comes with a warranty against yellowing, loss of light transmission and penetration by hail

Applications

Agriculture

- Commercial greenhouses
- Various other uses takes advantage of the material and its properties

Construction and Industry

- Architectural structures, industrial facilities, public buildings etc
- Skylights
- Shelters, canopies (swimming pools, garages, etc)
- Partitions
- Walkways


Do-It-Yourself (D.I.Y.)

- Skylights
- Canopies and awnings
- Porches and verandas
- Carports or garages (parking shelters)
- Swimming pools
- Gazebos or pergolas
- Sunrooms
- Outdoor play or family areas
- Greenhouses



Clear Solid Polycarbonate Sheet

Flat Polycarbonate Sheet



Features

- High-impact resistance - virtually unbreakable
- High-clarity and light transmission
- Blocks virtually all UV radiation
- Weather and UV resistant
- Wide service temperature range
- Protects against harmful UV radiation
- Acoustic insulation
- Easy to handle and install
- Versatile and malleable
- Fire resistant
- Other colours and tints available

Applications

- Safety glazing
- Safety partitions
- Canopy roofing
- Stadia roofing
- Shelters
- Advertising
- Wall and side-boarding protection
- Roof lights
- Light boxes
- Machine guards

Solid Polycarbonate Sheet is a high-quality plastic which can be used for many applications. In its clear solid form, it offers a transparency of glass at less than half the weight and combines strength, making it an ideal choice for safety glazing or security panels.


Solid Polycarbonate Sheet can be cold bent, fabricated and/or formed, making it ideal for applications such as Skylights, Barrel Vault roofing, agricultural and general glazing and machine guards.

Clear Solid Polycarbonate Sheet - UV Protected both sides

Length x Width (mm)	Thickness (mm)						
	3	4	5	6	-	-	-
1220 x 1215	3	4	5	6	-	-	-
1220 x 605	3	4	5	6	-	-	-
1520 x 1020	3	4	5	6	-	10	-
2050 x 1520	3	4	5	6	8	10	12
2440 x 1220	3	4	5	6	-	-	-
2440 x 605	3	4	5	6	-	-	-
3050 x 2050	3	4	5	6	8	10	12
3050 x 1020	3	4	5	6	-	10	-
6050 x 2050	-	4	-	6	-	-	-



Embossed Polycarbonate Sheet



Embossed Polycarbonate Sheet is a high-quality plastic which can be used for many applications and offers the transparency of glass at less than half the weight. It is an ideal choice for Privacy Safety Glazing and Security Panels.

Features

- High-impact resistance - virtually unbreakable
- High-clarity and light transmission
- Weather and UV resistant
- Wide service temperature range
- Protects against harmful UV radiation
- Acoustic insulation
- Easy to handle and install
- Versatile and malleable
- Fire resistant

Applications

- Privacy glazing
- Shower doors
- Safety glazing
- Safety partitions
- Canopy roofing
- Stadia roofing
- Shelters
- Advertising
- Wall and side hoarding protection
- Roof lights
- Light boxes
- Machine guards

Embossed Solid Polycarbonate Sheet - UV Protected both sides

Sheet Size (mm)	Thickness (mm)	
1520mm x 1020mm	4	6
2050mm x 1520mm	4	6
3050mm x 2050mm	4	6
3050mm x 1020mm	4	6



Please ask your local depot for details

Glazing Bars and Accessories



Glazing bars offer you a quality finished product for all your polycarbonate roof glazing solutions.

Features

- Available in white or brown
- Self support bars up to 6m free span
- Rafter support bars up to 7m
- Purlin bars
- Easyfit top caps
- Pressure fit top caps
- All bars come complete with caps, gaskets, cap screws, stop ends and mounting plate

Applications

- Lean-to roofs
- Carports
- Canopies
- Commercial Greenhouses

Please note self support bars only tested for Polycarbonate sheeting, not glass.



Rafter Glazing Bars, (Pressure Cap)



Colours	Lengths (mm)							
White	2000	2500	3000	3500	4000	5000	6000	7000
Brown	2000	2500	3000	3500	4000	5000	6000	7000

Self Support Standard Glazing Bars up to 3m span, (Pressure Cap)



Colours	Lengths (mm)							
White	2000	2500	3000	3500	4000	5000	6000	7000
Brown	2000	2500	3000	3500	4000	5000	6000	-

Self Support Large Glazing Bars up to 6m span, (Pressure Cap)



Colours	Lengths (mm)			
White	3500	4000	5000	6000

Purlin Glazing Bars up to 1.4m span, (Pressure Cap)



Colours	Lengths (mm)							
White	2000	2500	3000	3500	4000	5000	6000	7000
Brown	2000	2500	3000	3500	4000	5000	6000	7000

Self Support Easyfit Standard Glazing Bar up to 3m span



Colours	Lengths (mm)							
White	2000	2500	3000	3500	4000	5000	6000	7000

Self Support Easyfit Large Bar up to 6m span



Colours	Lengths (mm)			
White	3500	4000	5000	6000

Easyfit Purlin Glazing Bar up to 1.4m span



Colours	Lengths (mm)							
White	2000	2500	3000	3500	4000	5000	6000	7000

Right Angle Edge Bar F Profile - Aluminium

For 10mm, 16mm and 25mm



Colours	Lengths (mm)				
White	2000	3000	4000	5000	6000
Brown	2000	3000	4000	5000	6000

Verge Pressure Cap

Colours	Lengths (mm)							
White	2000	2500	3000	3500	4000	5000	6000	7000
Brown	2000	2500	3000	3500	4000	5000	6000	7000

Infills for Self Support Bars

For 10mm, 16mm and 25mm

Colours	Lengths (mm)							
White	2000	2500	3000	3500	4000	5000	6000	7000

Easyfit Mono-Wall Plate

Colours	Lengths (mm)		
White	3000	4000	5000



Rafter Snapfit Glazing Bars

Colours	Lengths (mm)							
White	2000	2500	3000	3500	4000	5000	6000	7000
Brown	2000	2500	3000	3500	4000	5000	6000	7000

Gable End Infills for Snapfits

Colours	Lengths (mm)	
White	3000	4000
Brown	3000	4000

Rafter Fixing Buttons (packs of 10)

Includes Cap / Foam Washer and Screw

Colours	Lengths (mm)		
White	10	16	25
Brown	10	16	25

Alum U Drip Profiles

Colours	Lengths (mm)	Width (mm)		
White	2100	10	16	25



UPVC U Drip Profiles

Colours	Lengths (mm)	Width (mm)			
White	2100	10	16	25	35
Brown	2100	10	16	25	35

Evolution Carport & Canopy System



The Evolution Canopy is an exciting new system, encompassing a modern design with clean sight lines providing ease of installation. In addition, its high-structural performance ensures this system is an ideal choice for domestic, DIY and commercial applications.

This highly versatile system offers a solution for many applications such as:

- Carports
- Covered seating areas
- Covered play areas
- Porches
- Patio canopies
- Caravan shelters
- Cycle shelters
- Smoking shelters
- Walk way covers
- Widths from 2.5m to 7m
- Projection 1800mm to 4100mm

System Features

- The system is manufactured in maintenance free powder coated aluminium in white as standard with any RAL no. colour available at extra cost and lead time
- The canopy is glazed with 16mm triple wall UV stabilised

polycarbonate sheeting offering greater flexibility in canopy design with enhanced strength and rigidity, available in clear, bronze or opal tints

- The standard canopy range is available on a 5 working day lead time
- The eaves beam cleverly double's as an integral box gutter utilising the support posts as down pipes with the rain water exiting through the variable height post feet
- The system can accommodate pitches from 5 degrees to 20 degrees, on standard modular kits the maximum projection is achieved at a pitch of 5 degrees
- As well as the standard lean-to configuration the system can be specified as a gable roof design with the wall plates bolted back-to-back to form a ridge supported between two host walls or as a free standing option supported on posts




Free Standing Carport/Smoking Shelter



The upscale style of the carport, makes it a versatile all-round structure. Protect your car from the elements or create an enjoyable sitting area anywhere.

Features

- Virtually unbreakable polycarbonate Twinwall panels
- 4-legged design provides easy and wide access
- High impact structure and hail proof glazing panels
- Super seal roofing system – provides great sealing performance under severe weather conditions and prevents panels from thermal expansion damages
- Aluminium and galvanised steel rust resistant powder coated frame
- Easy to follow assembly instructions – 2 person friendly set up



Door & Window Canopy Systems



Our canopy systems are an elegant covering solution for doors and windows. All seasons protection keeps your home entrance clean, dry and free from ice and hail. This Do-It-Yourself product is made of high-end materials to ensure a modern, decorated entryway for many years to come.

Canopy System 1500

Features

- Upscale design - high-end materials
- Strong and durable - protection from hazardous weather throughout the year
- Front anodised gutter and back hidden gasket directs rainwater sideward
- Easy assembly - no special tools required
- Compact Packaging - easy handling and merchandising

Applications

- Doors
- Windows
- Air conditioners
- Designated smoking areas
- Mail boxes
- Air vents

Canopy System 2050

Features

- Easy to assemble - 1 to 2 hours set-up time
- Elegant design
- Laser cut painted steel supporting arms and anodised aluminium gutter and wall mount
- Easily cleaned using compatible materials
- All glazing materials are UV protected
- Wide covering area 1.88 sqm (20.4 sqf)

Applications

- Double doors
- Large windows
- Porches
- Air conditioners
- Designated smoking areas
- Mail boxes
- Air vents

Canopy
Sizes (mm) Length Width Height

1500	1500	918	160
2050	2050	918	160




Conservatory Roof Kits




We can also supply complete conservatory roof kits - fully glazed in polycarbonate or glass


Choosing the style of a conservatory is an important, personal decision and one that your customers need to consider carefully. Not only will they need to think about a style that will complement an existing property but also will match their lifestyle and be best suited to how they wish to use the new space.




Lantern




T- Shaped



Victorian




Georgian



Gable



P-Shaped



Lean-To

We offer:

- The widest range of conservatory products available, see the most common styles shown left
- Fast quote return with consistent competitive pricing
- Multiple glazing options available, net area glass pricing
- Base plans and CAD drawings
- Reliable delivery service

Please ask for further details.

Talk To Us About:

- Wide range of polycarbonate solid and multilwall sheet
- Cut to size service
- Project support
- Nationwide delivery



For more information or specialist advice simply ask our team at your local GAP depot, or check out www.gap.uk.com

GAP Sheet Materials
Unit 6-7, Lower William Street
Northam, Southampton
SO14 5QE

T: 02380 332 761
F: 02380 225 148
W: gap.uk.com
S: @GAPLtd

@GAPLtd



General All-Purpose Plastics Ltd, T/A GAP Ltd
Registered No: 02767596

All photographs, colours and images are to be considered as representative of the actual product. GAP reserve the right to change colours, sizes or designs without prior notice.